

SHOWA 892

Forged with fluoroelastomer over Butyl rubber, the SHOWA 892 chemical and acid resistant glove provides superior hand and forearm protection against highly corrosive acids. The viton coating is designed for handling aliphatic and aromatic hydrocarbons, such as Benzene, Toluene, and Xylene.




BENEFITS

- Acid-resistant
- Hydrocarbon-resistant
- Impermeable

FEATURES

- Unlined Viton®
- Butyl rubber
- Smooth grip
- Unsupported

NORMS & CERTIFICATES



INDUSTRIES



Chemical

HAZARDS



Chemical

TRADES & APPLICATIONS

- Chemical spray and treatment
- Coating preparation
- Laboratory, pharma & analysis
- Painting & spray workshops
- Fracking
- Drilling

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | showagroup.com | USA@SHOWAGroup.com
 © SHOWA GROUP 2025 | All rights reserved

PACKAGING

- Pair per polybag: 12
- Polybags per case: 1
- Pair per case: 12

THICKNESS

0.30 mm

LENGTH

300 mm

COATING

- Viton

SIZES

7/S | 8/M | 9/L | 10/XL | 11/XXL

COLOUR

- Black

MATERIAL

- Unsupported

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | showagroup.com |
USA@SHOWAGroup.com
© SHOWA GROUP 2025 | All rights reserved