



SHOWA S-TEX 350

Reinforced with a stainless steel liner and Hagane Coil® technology, the S-TEX 350 cut-resistant glove provides ANSI cut level A4/EN 388 level D protection. The open-back and form-fitting design ensure maximum comfort and breathability. The fluorescent color helps with identification and safety in low lighting.



BENEFITS

- Flexible
- Abrasion-resistant
- Form-fitting
- Cut-resistant
- · Increased dexterity
- Breathable
- Increased visibility
- Seamless knit

INDUSTRIES



Airports & Ports



V



Glass



Manufacturing



Mechanical

FEATURES

- Ergonomic
- Hagane Coil® technology
- Rough grip
- Fluorescent
- · Nitrile palm coating
- Stainless steel reinforced

HAZARDS



Cut

NORMS & CERTIFICATES

Cat II

 ϵ

EN 388:2016



3X43D

ANSI/ISEA 105-2016 CUT



Cut

ANSI/ISEA 105-2016 PUNCTURE



Puncture

TRADES & APPLICATIONS

- Handling heavy equipment
- Automotive repairs and maintenance
- Bottling
- Handling glass and windows
- Canning
- White goods
- Assembly dry and oily parts
- HVAC

GET IN TOUCH





PACKAGING

- Pair per polybag: 10
- Polybags per case: 12
- Pair per case: 120

LENGTH

240 - 275mm

COATING

Nitrile

LINERS

Cut resistant - Stainless

Steel

 Knit weight - Mediumweight

SIZES

7/S | 8/M | 9/L | 10/XL

COLOUR

Yellow

MATERIAL

- Polyester
- Seamless knit
- · Stainless steel

TECHNOLOGY

S-TEX

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.