

SHOWA 377-IP

Designed to protect the most fragile parts of the hand, this impact protection glove reduces shock energy on the knuckles, fingers, and metacarpals. Fluorescent features offer high-visibility for hand signaling. The foam finish disperses oil to improve grip in wet, dry, or greasy conditions. A seamless liner and latex-free design prevent irritation.



BENEFITS

- Impact-resistant
- Latex-free
- Abrasion-resistant
- Seamless knit
- Water-resistant
- Durable

FEATURES

- Foam nitrile palm coating
- Fully-coated nitrile
- Ergonomic
- Fluorescent
- Sponge grip

NORMS & CERTIFICATES

Cat II

EN 388:2016



4121XP

INDUSTRIES



Construction



Mechanical



Oil And Gas

HAZARDS



Impact

TRADES & APPLICATIONS

- Handling heavy equipment
- Signalers
- Metal Stamping
- Concreting
- Demolition
- Mounting and dismantling
- Component Assembly
- Automotive repairs and maintenance
- Drilling
- Deck crew

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | showagroup.com |

USA@SHOWAGroup.com

© SHOWA GROUP 2024 | All rights reserved

PACKAGING

- Pair per polybag: 5
- Polybags per case: 12
- Pair per case: 60

LENGTH

265 - 280mm

COATING

- Foam nitrile
- Nitrile

SIZES

7/M | 8/L | 9/XL | 10/XXL

COLOUR

- Black
- Blue

MATERIAL

- Nylon
- Polyester
- Seamless knit

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | showagroup.com | USA@SHOWAgroup.com
© SHOWA GROUP 2024 | All rights reserved