



# **SHOWA S-TEX 581**

Durability meets comfort with SHOWA's S-TEX 581 cutresistant gloves. Flexibility and form-fitting materials enable maximum precision when working on highly tactile tasks, and our unparalleled ergonomic gloves are designed with periods of long wear in mind. The S-TEX 581 are breathable to reduce perspiration and increase grip inside the glove, and the advanced nitrile coating increases grip on the glove's surface.



### **BENEFITS**

- Cut-resistant
- Oil-resistant
- Extra Grip
- Abrasion-resistant
- Breathable
- Easy Movement
- Seamless knit
- Reusable
- · Form-fitting

# **FEATURES**

- Lightweight
- Microporous Nitrile Coating
- Liner made with Kevlar®
- Ergonomic

### **INDUSTRIES**



V



Construction



Glass



Mechanical

# **HAZARDS**



Cut

# **GET IN TOUCH**





# **NORMS & CERTIFICATES**

Cat II

EN 388:2016





4X42E ANSI/ISEA 105-2016 PUNCTURE



ANSI/ISEA 105-2016 ABRASION

Abrasion



Puncture



ANSI/ISEA 105-2016 CUT

Cut

# **TRADES & APPLICATIONS**

- Automotive repairs and maintenance
- Maintenance
- Light assembly of oil-coated pieces
- · Mechanical and engineering
- HVAC
- Install electrical wiring
- Screw and nail setting
- Steel fixing
- Handling glass and windows

# **PACKAGING**

Pair per polybag: 10Polybags per case: 12

• Pair per case: 120

## **LENGTH**

235 - 270mm

# **COATING**

Microporous nitrile

### **SIZES**

6/S | 7/M | 8/L | 9/XL | 10/XXL

# **COLOUR**

- Grey
- Black

# MATERIAL

- Kevlar
- Nylon
- Polyester
- Seamless knit

### **TECHNOLOGY**

S-TEX

# **USER INSTRUCTIONS**

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

# **DISCLAIMER**

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.