

SHOWA 490

Our SHOWA 490 cold-resistant glove provides protection and maintains its flexibility even at low temperatures of -20°C. Its triple-dipped PVC coating and extended forearm protect from liquids, including oil, grease, and chemicals. The rough surface grip allows tactile precision and its ergonomic, form-fitting shape reduces hand fatigue over long periods of wear.



BENEFITS

- Chemical-resistant
- Oil-resistant
- Protects up to -20°C
- Flexible
- Thermal insulation
- Form-fitting
- Skin-friendly
- Extra Grip

FEATURES

- Ergonomic
- Rough grip
- Full PVC Coating
- Forearm protection
- Insulated

INDUSTRIES



Chemical

HAZARDS



Chemical



Cold

GET IN TOUCH

SHOWA Canada | 2507 Macpherson, Magog, Quebec, J1X 0E6 – Canada | showagroup.com | canada@showagroup.com
© SHOWA GROUP 2024 | All rights reserved

NORMS & CERTIFICATES

Cat III



0598

EN 511:2006



121

EN 388:2016



4221X

EN ISO 374-1:2016/Type B



JKL

EN ISO 374-5:2016



PACKAGING

- Pair per polybag: 10
- Polybags per case: 6
- Pair per case: 60

THICKNESS

1.50mm

LENGTH

300mm

SIZES

8/M | 9/L | 10/XL

COLOUR

- Blue

TRADES & APPLICATIONS

- Chemical spray and treatment
- Washing and cleaning

MATERIAL

- Cotton
- Fixed insulated acrylic
- Seamless knit

GRIP

- Rough

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA Canada | 2507 Macpherson, Magog, Quebec, J1X 0E6 – Canada | [showagroup.com](mailto:canada@showagroup.com) | canada@showagroup.com
© SHOWA GROUP 2024 | All rights reserved