



# **SHOWA S-TEX 303**

The S-TEX 303 cut-protection glove provides the highest degree of cut resistance without sacrificing dexterity. A natural rubber palm dip ensures superior wet and dry grip. And for maximum cut defense, the 303 is constructed with a stainless steel liner, Kevlar® fibers, and our patented Hagane Coil® technology. Featuring a form-fitting, breathable design the 303 offers comfort alongside performance.



#### **BENEFITS**

- Flexible
- Form-fitting
- Cut-resistant
- Increased dexterity
- Breathable

#### **INDUSTRIES**



Automotive



Construction



Glass



Mechanical



Oil And Gas



Railways



Utilities

#### **FEATURES**

- Ergonomic
- Liner made with Kevlar®
- Palm-dipped natural rubber coating
- Hagane Coil® technology
- Rough grip

#### **HAZARDS**



Cut





#### **NORMS & CERTIFICATES**

#### EN 388:2016









CE

Cut

ANSI/ISEA 105-2016 ABRASION

4

Abrasion

#### EN 407:2020



X2XXXX





Puncture

### **TRADES & APPLICATIONS**

- Metal Stamping
- Demolition
- Repair glass and windows
- Steel fabrication
- Plate glass production
- **HVAC**
- Drilling
- Boiler maker

## **PACKAGING**

- Pair per polybag: 12
- Polybags per case: 6
- Pair per case: 72

#### **COATING**

Latex

#### **LINERS**

- Cut resistant Kevlar
- Cut resistant Stainless

#### Steel

Knit weight - Medium-

#### weight

#### SIZES

7/S | 8/M | 9/L | 10/XL

# COLOUR

- Yellow
- Black

#### **MATERIAL**

- Kevlar
- Seamless knit
- Stainless steel

#### **GRIP**

Rough

# **USER INSTRUCTIONS**

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

# **DISCLAIMER**

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

#### **GET IN TOUCH**