



# **SHOWA S-TEX 350**

Reinforced with a stainless steel liner and Hagane Coil® technology, the S-TEX 350 cut-resistant glove provides ANSI cut level A4/EN 388 level D protection. The open-back and form-fitting design ensure maximum comfort and breathability. The fluorescent color helps with identification and safety in low lighting.



#### **BENEFITS**

- Flexible
- Abrasion-resistant
- Form-fitting
- Cut-resistant
- Increased dexterity
- Breathable
- Increased visibility
- Seamless knit

# **INDUSTRIES**



Airports & Ports



Automotive



Glass



Manufacturing



Mechanical

#### **FEATURES**

- Ergonomic
- Hagane Coil® technology
- Rough grip
- Fluorescent
- Nitrile palm coating
- Stainless steel reinforced

## **HAZARDS**



Cut

### **NORMS & CERTIFICATES**

Cat II

 $\epsilon$ 

EN 388:2016



3X43D

ANSI/ISEA 105-2016 CUT



Cut

ANSI/ISEA 105-2016 PUNCTURE



Puncture

### **TRADES & APPLICATIONS**

- Handling heavy equipment
- Automotive repairs and maintenance
- Bottling
- Handling glass and windows
- Canning
- White goods
- Assembly dry and oily parts
- HVAC

#### **GET IN TOUCH**





#### **PACKAGING**

- Pair per polybag: 10
- Polybags per case: 12
- Pair per case: 120

#### **LENGTH**

240 - 275mm

#### **COATING**

Nitrile

#### **LINERS**

- Cut resistant Stainless
- SteelKnit weight Medium-

weight

#### **SIZES**

7/S | 8/M | 9/L | 10/XL

#### **COLOUR**

Yellow

#### **MATERIAL**

- Polyester
- Seamless knit
- · Stainless steel

#### **TECHNOLOGY**

• S-TEX

#### **GRIP**

Rough

#### **USER INSTRUCTIONS**

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

#### **DISCLAIMER**

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.