

SHOWA 7000

Designed to handle rough, abrasive materials, the SHOWA 7000 general-purpose glove features an exclusive nitrile coating. The smooth surface provides excellent wet grip, while the impermeable material provides a barrier to oil and grease. An elasticated, knit wrist cuff prevents debris and liquids from entering the glove, and a soft cotton liner controls inner-temperatures.



BENEFITS

- Abrasion-resistant
- Oil-resistant
- Water-resistant
- Robust grip
- Reusable
- Impermeable

FEATURES

- Fully-coated nitrile
- Elasticated wrist cuff
- Cotton liner
- Smooth grip
- Leather alternative

NORMS & CERTIFICATES

Cat II



EN
388:2016+A1:2018



3111X

INDUSTRIES



Airports & Ports



Automotive



Oil And Gas



Warehousing & Distribution

HAZARDS



General Purpose



Liquids

TRADES & APPLICATIONS

- Handling heavy equipment
- Mounting and dismantling
- Washing and cleaning
- Public utility

GET IN TOUCH

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2024 | All rights reserved

PACKAGING

- Pair per polybag: 12
- Polybags per case: 6
- Pair per case: 72

THICKNESS

NA

LENGTH

260mm

COATING

- Nitrile

SIZES

8/S | 9/M | 10/L

COLOUR

- Blue

MATERIAL

- Cotton jersey

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2024 | All rights reserved