

## SHOWA S-TEX 350

# SHOWA S-TEX 350

Reinforced with a stainless steel liner and Hagane Coil® technology, the S-TEX 350 cut-resistant glove provides ANSI cut level A4/EN 388 level D protection. The open-back and form-fitting design ensure maximum comfort and breathability. The fluorescent color helps with identification and safety in low lighting.



#### BENEFITS

- Flexible
- Abrasion-resistant
- Form-fitting
- Cut-resistant
- Increased dexterity
- Breathable
- Increased visibility
- Seamless knit


#### FEATURES

- Ergonomic
- Hagane Coil® technology
- Rough grip
- Fluorescent
- Nitrile palm coating
- Stainless steel reinforced

**NORMS & CERTIFICATES** 

## HAZARDS





#### **TRADES & APPLICATIONS**

- Handling heavy equipment
- Automotive repairs and maintenance
- Bottling
- Handling glass and windows
- Canning
- White goods
- Assembly dry and oily parts
- HVAC

### **GET IN TOUCH**

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands showagroup.com | info@showagroup.eu © SHOWA GROUP 2024 | All rights reserved

**INDUSTRIES** 

Manufacturing

Automotive

Mechanical

Glass

Airports & Ports



## SHOWA S-TEX 350

#### PACKAGING

- Pair per polybag: 10
- Polybags per case: 12
- Pair per case: 120

### LENGTH

240 - 275mm

#### COATING

• Nitrile

#### LINERS

Cut resistant - Stainless
Steel
Knit weight - medium
weight

#### SIZES

7/S | 8/M | 9/L | 10/XL

#### COLOUR

Yellow

#### MATERIAL

- Polyester
- Seamless knit
- Stainless steel

#### TECHNOLOGY

• S-TEX

#### **USER INSTRUCTIONS**

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

#### DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.