

# **SHOWA 1005**

These thin gloves are outstandingly strong without compromising on finger sensitivity or tactile precision. By using a lightly powdered lining, these disposable gloves absorb minor perspiration to increase grip and comfort over long periods of wear. The light powdering also allows for easy donning and doffing of the PPE.



#### BENEFITS

- Increased dexterity
- Form-fitting
- Flexible
- Disposable
- Easy donning and doffing

#### INDUSTRIES



#### FEATURES

- 100% natural rubber latex
- Rolled Cuff
- Lightly powdered
- Thin palm material
- Thin finger thickness

### HAZARDS



Single Use

GET IN TOUCH SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands showagroup.com | info@showagroup.eu © SHOWA GROUP 2024 | All rights reserved



# **SHOWA 1005**

## NORMS & CERTIFICATES



### **TRADES & APPLICATIONS**

- Mechanical and engineering
- Painting & spray workshops
- Bakeries & delicatessens
- Food packing and handling
- Food Service/Food Prep
- Fruit & vegetable processing
- Grain, mill and starch products
- Poultry, meat & seafood processing
- Sanitation and dishwashing
- Washing and cleaning
- Life sciences
- Biotechnology
- Pharmaceuticals and API
- Water/Sewage treatment
- Plumbing
- Guttering and drain pipe

#### PACKAGING

- Dispenser per case: 20
- Gloves per dispenser: 100
- Gloves per case: 2000

#### THICKNESS

5 mil

#### LENGTH

9.5 in

## COATING

• Latex

## MATERIAL

- Single useUnsupported

## LINERS

- Disposable
- Unsupported

#### SIZES

7/S | 8/M | 9/L | 10/XL

#### COLOUR

Green

#### GET IN TOUCH SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands showagroup.com | info@showagroup.eu © SHOWA GROUP 2024 | All rights reserved



# **SHOWA 1005**

#### **USER INSTRUCTIONS**

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Donot wear gloves when there is a risk of entanglement bymoving parts of machines.

#### DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.