

## SHOWA 6731

A multi-dipped neoprene coating ensures the SHOWA 6731 chemical-resistant gloves provide enhanced protection from caustics and harmful solvents. Ideal for chemical manufacturers, laboratories, and pollution control workplaces, these durable gloves protect the entire arm and connects to other PPE. The cotton lining keeps hands cool and absorbs perspiration for extra grip and comfort.




### BENEFITS

- Chemical-resistant
- Full-arm protection
- Soft liner

### FEATURES

- Fully-coated neoprene
- Smooth grip
- Cotton flannel liner

### NORMS & CERTIFICATES



### INDUSTRIES



Chemical



Municipal Services



Oil And Gas

### HAZARDS



Chemical

### TRADES & APPLICATIONS

- Chemical spray and treatment
- Coating preparation
- Laboratory, pharma & analysis
- Painting & spray workshops
- Washing and cleaning
- Deck crew
- Drilling
- Fracking

### GET IN TOUCH

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands  
showagroup.com | info@showagroup.eu  
© SHOWA GROUP 2024 | All rights reserved

## PACKAGING

- Pair per polybag: 1

## THICKNESS

NA

## LENGTH

31 in

## COATING

- Chemical resistant
- Neoprene
- Water Resistant

## SIZES

10/L

## COLOUR

- Black

## MATERIAL

- Cotton

## USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

## DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

## GET IN TOUCH

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands  
showagroup.com | info@showagroup.eu  
© SHOWA GROUP 2024 | All rights reserved