

## SHOWA 875R

The SHOWA 875R acid-resistant glove offers superior protection against highly corrosive acids, ketones, and esters. Butyl rubber provides the highest permeation resistance to gases and water vapors of any material used to make gloves. A rough surface grip ensures optimum precision and increased durability.




### BENEFITS

- Acid-resistant
- Impermeable
- Water-resistant

### FEATURES

- Unlined
- Rolled Cuff
- Rough grip
- Unsupported
- Butyl rubber

### NORMS & CERTIFICATES



### INDUSTRIES



Chemical



Municipal Services



Oil And Gas

### HAZARDS



Chemical

### TRADES & APPLICATIONS

- Chemical spray and treatment
- Coating preparation
- Laboratory, pharma & analysis
- Painting & spray workshops
- Washing and cleaning
- Public utility
- Pipe Fitters
- Drilling
- Deck crew

### GET IN TOUCH

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands  
showagroup.com | info@showagroup.eu  
© SHOWA GROUP 2024 | All rights reserved

## PACKAGING

- Pair per polybag: 1

## THICKNESS

14 mil

## LENGTH

14 in

## COATING

- Butyl
- Chemical resistant
- Water Resistant

## LINERS

- Unsupported

## SIZES

7/S | 8/M | 9/L | 10/XL | 11/XXL

## COLOUR

- Black

## MATERIAL

- Unsupported

## USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

## DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

## GET IN TOUCH

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands  
showagroup.com | info@showagroup.eu  
© SHOWA GROUP 2024 | All rights reserved