

# **SHOWA 8005PF**

# **SHOWA 8005PF**

The SHOWA 8005PF disposable glove is ideal for jobs requiring increased protection without compromising on tactility. A rolled cuff prevents dirt from entering the glove and allows for easy removal of the glove in case of puncture. The 8005PF is ambidextrous and uses second-skin feel to significantly reduce hand fatigue over long periods of wear.



#### BENEFITS

- Easy donning and doffing
- Latex-free •
- Increased dexterity
- Single-use

#### **INDUSTRIES**



# FEATURES

- Rolled Cuff •
- 100% Nitrile
- Ambidextrous •
- Lightly powdered •
- Unsupported •
- Lightweight •

# HAZARDS



Single Use

#### **GET IN TOUCH** SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands showagroup.com | info@showagroup.eu © SHOWA GROUP 2024 | All rights reserved



# **SHOWA 8005PF**

# **NORMS & CERTIFICATES**



CE

Cat III

2777







EN ISO 374-5:2016

Food Contact

# **TRADES & APPLICATIONS**

- Handling plants and vegetables
- Intricate parts handling •
- Light assembly of oil-coated pieces
- Mechanical and engineering •
- Chemical spray and treatment
- Coating preparation •
- . Painting & spray workshops
- Food packing and handling •
- Food Service/Food Prep
- Fruit & vegetable processing •
- Pet Food production
- Poultry, meat & seafood processing •
- Washing and cleaning
- Public utility
- Life sciences
- Cytostatics •
- Biotechnology
- Pharmaceuticals and API

### PACKAGING

- Dispenser per case: 20 •
- Gloves per dispenser: 50
- Gloves per case: 1000

# THICKNESS

8 mil

#### LENGTH

9.5 in

# COATING

Nitrile •

### MATERIAL

- Single use
- Unsupported

## LINERS

- Disposable
- Unsupported

# SIZES

7/S | 8/M | 9/L | 10/XL

#### COLOUR

Blue



# **SHOWA 8005PF**

#### **USER INSTRUCTIONS**

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

#### DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.