

SHOWA A0622

Designed for precision and cleanliness, the A0622 general purpose glove features a snug-fit to maximize sensitivity and control. Its elasticated, low-lint construction is resistant to deformation and preserves the gloves' fit over time. 13-gauge conductive yarn liner offers polyurethane foam coating with a rough grip.



BENEFITS

- Form-fitting
- Breathable
- Seamless knit
- Lightweight
- Increased sensitivity
- Latex-free

FEATURES

- Polyurethane coating
- Elasticated wrist cuff
- Rough grip

NORMS & CERTIFICATES

Cat II



EN
388:2016+A1:2018



0131X

INDUSTRIES



Aerospace



Automotive



Electronics



Manufacturing



Pharmaceutical



Warehousing & Distribution

HAZARDS



General Purpose



Antistatic

TRADES & APPLICATIONS

- Mechanical and engineering
- Automotive repairs and maintenance
- Intricate parts handling
- Integrated circuits
- Semiconductors

CONTATTACI

SHOWA International | WTC - Tower 2 - Strawinskyllaan 1077 XX Amsterdam - The Netherlands

showagroup.com | info@showagroup.eu

© SHOWA GROUP 2025 | All rights reserved

PACKAGING

- Pair per polybag: 12
- Polybags per case: 6
- Pair per case: 72

LENGTH

185 - 225 mm

COATING

- Polyurethane

SIZES

6/S | 7/M | 8/L | 9/XL

COLOUR

- White

MATERIAL

- Nylon
- Seamless knit

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

CONTACTACI

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2025 | All rights reserved