

SHOWA 620

Protect hands from harmful substances with the 620 chemical-resistant gloves. A soft cotton liner and flexible fabric ensures optimum comfort, whilst the PVC coating protects against chemicals, acids, bases, and solvents. The 620 gloves are also liquid proof and abrasion resistant.



BENEFITS

- Acid-resistant
- Seamless knit
- Abrasion-resistant
- Extra Grip
- Water-resistant
- Chemical-resistant
- Strong
- Flexible
- Soft liner

FEATURES

- Rough grip
- Full PVC coating, extra coating over entire hand
- Cotton liner
- Ergonomic

NORMS & CERTIFICATES

Category III



0598

EN
388:2016+A1:2018



3121X

EN ISO 374-
1:2016/Type C



KL

EN ISO 374-5:2016



INDUSTRIES



Chemical

HAZARDS



Chemical

TRADES & APPLICATIONS

- Chemical spray and treatment
- Handling light chemicals in agriculture, horticulture
- Coating preparation
- Painting & spray workshops

CONTATTACI

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2024 | All rights reserved

PACKAGING

- Pair per polybag: 12
- Polybags per case: 12
- Pair per case: 72

THICKNESS

1.10mm

LENGTH

300 - 320mm

COATING

- PVC

SIZES

8/M | 9/L | 10/XL | 11/XXL

COLOUR

- Orange

MATERIAL

- Cotton
- Seamless knit

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

CONTACT

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2024 | All rights reserved