



SHOWA 4561

ANSI CUT LEVEL A4 Combining a DuPont™ Kevlar® cutresistant liner and sponge nitrile palm coating, the 4561 cut protection glove is engineered to endure. This glove offers cut, abrasion, and flame resistance without sacrificing comfort or precision. Its sponge nitrile palm coating ensures optimum grip when working in wet or greasy environments. A seamless knit reduces irritation and the elasticated, form-fitting design prevents dirt from entering.



BENEFITS

- Seamless knit
- Form-fitting
- Cut-resistant
- Abrasion-resistant
- Flame-resistant
- Breathable
- Robust grip
- Lightweight

FEATURES

- Liner made with Kevlar®
- Ergonomic
- Foam nitrile palm dip
- Foam grip
- Elasticated wrist cuff

INDUSTRIES



Automotive



Mechanical



Manufacturing



Glass



Engineering

HAZARDS



Cut



Heat





NORMS & CERTIFICATES

Cat II

EN 388:2016

EN 407:2020

EN ISO21420:2020





4X32C





ANSI/ISEA 105-2016 CUT



Cut

PACKAGING

Pair per polybag: 12

Polybags per case: 6

Pair per case: 72

SIZES

6/S | 7/M | 8/L | 9/XL | 10/XXL

COLOUR

- Yellow
- Black

TRADES & APPLICATIONS

- · Automotive repairs and maintenance
- Light assembly of oil-coated pieces
- · Assembly dry and oily parts
- Bottling
- · Handling glass and windows
- · White goods
- HVAC

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

MATERIAL

- Kevlar
- · Seamless knit
- Spandex

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.