



SHOWA S-TEX 541

ANSI CUT LEVEL A4 Reinforced with a stainless steel liner, our patented Hagane Coil technology, and a polyurethane palm coating, the 541 cut-resistant glove hides grime while providing top of the line defense against cuts and lacerations. The ergonomic design and seamless liner reduces hand fatigue and prevents irritation during long periods of wear. Polyurethane coating is lightweight, flexible, and provides maximum dexterity and grip.



BENEFITS

- Cut-resistant
- Breathable
- Form-fitting
- Seamless knit
- Abrasion-resistant

INDUSTRIES



Airports And Ports



Automotive



Construction



Mechanical



Manufacturing



Glass



Electronics

FEATURES

- Polyurethane coating
- Ergonomic
- Liner made with Kevlar®
- Hagane Coil® technology
- Rough grip

HAZARDS



Cut





NORMS & CERTIFICATES

EN 388:2016





4X41D

ANSI/ISEA 105-2016 ABRASION



Abrasion

ANSI/ISEA 105-2016 PUNCTURE



Puncture

TRADES & APPLICATIONS

- Handling heavy equipment
- Mechanical and engineering
- Screw and nail setting
- Intricate parts handling
- Handling glass and windows
- Canning
- **HVAC**

PACKAGING

Pair per polybag: 12 Polybags per case: 12

Pair per case: 72

COATING

EN ISO21420:2020

 $oldsymbol{\check{i}}$

ANSI/ISEA 105-2016 CUT

Cut

Polyurethane

LINERS

- Cut resistant HPPE
- Knit weight Light-weight

SIZES

6/S | 7/M | 8/L | 9/XL | 10/XXL

COLOUR

Black

MATERIAL

- Polyester
- Seamless knit
- Stainless steel

TECHNOLOGY

S-TEX

GRIP

Rough

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH