



# **SHOWA 893**

These chemical resistant Showa® 893 Viton® Butyl Rubber Gloves are forged with fluoroelastomer rubber to provide superior resistance to highly corrosive acids. The butyl rubber coating is designed for handling aliphatic and aromatic hydrocarbons, such as Benzene, Toulene, and Xylene. Smooth surface grip allows for increased sensitivity and tactility when handling small components.



#### **BENEFITS**

- Acid-resistant
- Hydrocarbon-resistant
- Impermeable

#### **INDUSTRIES**



Chemical



Construction



Manufacturing

# **FEATURES**

- Unlined Viton®
- Butyl rubber
- Smooth grip
- Unsupported

## **HAZARDS**



Chemical

## **NORMS & CERTIFICATES**

Cat II

C€

EN 388:2016+A1:2018



EN ISO 374-1:2016/Type A



ABCFJLMNPSTA

EN ISO 374-5:2016

VIRUS

# **TRADES & APPLICATIONS**

- Chemical spray and treatment
- Coating preparation
- Laboratory, pharma & analysis
- Painting & spray workshops





## **PACKAGING**

Pair per polybag: 1

#### **LENGTH**

12"

_	$\boldsymbol{\sim}$	•	т			٠
	C)	Δ		ır	и (	•

Butyl

### **LINERS**

• Unsupported

## **SIZES**

7/S | 8/M | 9/L | 10/XL

## **COLOUR**

Black

#### **MATERIAL**

#### **GRIP**

Smooth

# **USER INSTRUCTIONS**

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

## **DISCLAIMER**

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.