

SHOWA DURACOIL ALPHA AC200

The new SHOWA DURACOIL Alpha AC200 has an 18-gauge seamless knit, cut-resistant HPPE liner blended with static dissipative yarn. It is free of natural rubber latex and is touchscreen compatible, silicone-free and fingerprint-free. Certified under the standard **EN 16350**, the AC200 by SHOWA meets the requirements for electrostatic properties (ESD). This certification ensures the glove's safe usage in ATEX zones (working area with risk of explosion and/or high flammability).




BENEFITS

- Durable
- Robust grip
- Breathable
- Form-fitting
- Latex-free
- Abrasion-resistant
- Lightweight

FEATURES

- Ergonomic
- Optimal liner design
- Silicone-free
- Anti-static liner

NORMS & CERTIFICATES



INDUSTRIES

HAZARDS



TRADES & APPLICATIONS

- Automotive repairs and maintenance
- Intricate parts handling
- Light assembly of oil-coated pieces
- Mechanical and engineering
- Handling glass and windows

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | showagroup.com | USA@SHOWAGroup.com
 © SHOWA GROUP 2025 | All rights reserved

PACKAGING

- Pair per polybag: 12
- Polybags per case: 6
- Pair per case: 72

COATING

- Uncoated

LINERS

- Cut resistant - HPPE

SIZES

6/S | 7/M | 8/L | 9/XL

COLOUR

- Grey

MATERIAL

- HPPE

GRIP

- N/A

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | showagroup.com | USA@SHOWAGroup.com
© SHOWA GROUP 2025 | All rights reserved