

SHOWA 6784R

Designed for a range of heavy-duty applications, the SHOWA 6784R chemical-protection gloves are forged with rugged neoprene. Rough surface grip provides enhanced wet grip and increased protection from abrasion, cuts, and harmful substances. A soft cotton liner maintains the gloves internal temperature in both hot and cold environments.



BENEFITS

- Acid-resistant
- Chemical-resistant
- Oil-resistant
- Abrasion-resistant
- Cut-resistant
- Forearm protection

FEATURES

- Fully-coated neoprene
- Cotton liner
- Rough grip








INDUSTRIES

HAZARDS



Chemical

NORMS & CERTIFICATES

Cat III	EN 388:2016	EN ISO 374-1:2016/Type A	EN ISO 374-5:2016
			
2777	2111X	AKLMPST	VIRUS
EN 407:2020	Food Contact		
			
X2XXXX			

TRADES & APPLICATIONS

- Biotechnology
- Cytostatics
- Life sciences
- Pharmaceuticals and API

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | showagroup.com |

USA@SHOWAGroup.com

© SHOWA GROUP 2024 | All rights reserved

PACKAGING

- Pair per case: 36

LENGTH

14 in. (356 mm)

COATING

- Chemical resistant
- Neoprene
- Water Resistant

SIZES

9/M | 10/L

COLOUR

- Black

MATERIAL

- Cotton

GRIP

- Rough

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | [showagroup.com | USA@SHOWAGroup.com](mailto:USA@SHOWAGroup.com)
© SHOWA GROUP 2024 | All rights reserved