



SHOWA 4568

ANSI CUT LEVEL A4 Combining a DuPont™ Kevlar® cutresistant liner and sponge nitrile palm coating, the 4568 cut protection glove is engineered to endure. This glove offers cut, abrasion, and flame resistance without sacrificing comfort. Its sponge palm coating and Zorb-IT® oil grip ensure optimum precision when working in wet or greasy environments. A seamless knit reduces irritation and the elasticated, form-fitting design prevents dirt from entering.



BENEFITS

- Seamless knit
- Form-fitting
- Cut-resistant
- Abrasion-resistant
- Flame-resistant
- Breathable
- Robust grip
- Lightweight
- Increased visibility

FEATURES

- Liner made with Kevlar®
- Ergonomic
- Foam nitrile palm dip
- Foam grip
- Elasticated wrist cuff
- Zorb-IT® oil grip
- Fluorescent

INDUSTRIES



Automotive



Construction



Glass



Oil And Gas

HAZARDS



Cut

GET IN TOUCH





NORMS & CERTIFICATES

Cat II

EN 388:2016





4X32D

ANSI/ISEA 105-2016 ABRASION



Abrasion

4X32D

ANSI/ISEA 1052016 PUNCTURE



Puncture

TRADES & APPLICATIONS

- · Mechanical and engineering
- Light assembly of oil-coated pieces
- · Steel fixing
- Handling glass and windows
- Deck crew

PACKAGING

Pair per polybag: 12

• Polybags per case: 6

• Pair per case: 72

COATING

Nitrile

EN 407:2004

X2XXXX

ANSI/ISEA 105-2016 CUT

LINERS

• Cut resistant - Kevlar

SIZES

7/M | 8/L | 9/XL | 10/XXL

COLOUR

Yellow

MATERIAL

Kevlar

GRIP

Foam

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.