



CONSTRUCTION
GLOVE • SERIES

GENERAL PURPOSE | INSULATED | CUT RESISTANT
CHEMICAL RESISTANT | SINGLE USE



**THE ULTIMATE INDUSTRIAL HAND PROTECTION
ENGINEERED FOR STRENGTH, BUILT FOR SAFETY**

GENERAL PURPOSE GLOVES



SHOWA ATLAS® 300

FEATURES:

COATING: Natural Rubber
LINER: Seamless knit Acrylic/
Cotton/Polyester liner

GRIP: Rough

SIZES: S-XXL
7/S | 8/M | 9/L | 10/XL | 11/XXL

- ADVANTAGES:**
- Textured Palm
 - Breathable
 - Ergonomic Design
 - Excellent Dexterity

APPLICATIONS: Carpentry, Demolition & Debris Removal, Shipping, Brick laying



SHOWA ATLAS® 305

FEATURES:

COATING: Natural Rubber
LINER: Seamless knit Acrylic/
Cotton/Polyester liner

GRIP: Rough

SIZES: S-XL
7/S | 8/M | 9/L | 10/XL

- ADVANTAGES:**
- Knuckle Coating
 - Abrasion Resistant
 - Breathable
 - Ergonomic Design
 - Excellent Dexterity

APPLICATIONS: Carpentry, Demolition, Shipping, Brick laying, Concrete work w/Hammer drills



SHOWA ATLAS® 300B

FEATURES:

COATING: Natural Rubber
LINER: Seamless knit Acrylic/
Cotton/Polyester liner

GRIP: Rough

SIZES: S-XL
7/S | 8/M | 9/L | 10/XL

- ADVANTAGES:**
- Textured Palm
 - Breathable
 - Ergonomic Design
 - Excellent Dexterity
 - Low Soil Color

APPLICATIONS: Carpentry, Demolition & Debris Removal, Shipping, Brick laying



SHOWA ATLAS® 330

FEATURES:

COATING: Natural Rubber
LINER: Seamless knit Acrylic/
Cotton/Polyester liner

GRIP: Rough

SIZES: S-XL
7/S | 8/M | 9/L | 10/XL

- ADVANTAGES:**
- Reinforced Thumb Saddle
 - Abrasion Resistant
 - Breathable
 - Ergonomic Design
 - Excellent Dexterity

APPLICATIONS: Carpentry, Demolition, Shipping, Brick laying



SHOWA 306

FEATURES:

COATING: Natural Rubber
LINER: Seamless knit Acrylic/
Cotton/Polyester liner

GRIP: Rough

SIZES: S-XXL
6/S | 7/M | 8/L | 9/XL | 10/XXL

- ADVANTAGES:**
- Water Resistant
 - Breathable
 - Dual Latex Coating
 - Abrasion Resistant
 - Full Hand Protection

APPLICATIONS: Road & Bridge Demolition, Concrete Pouring, Brick Laying, Plumbing, Pilings Inspections, Dry Wall Finishing



SHOWA 341

FEATURES:

COATING: Natural Rubber
LINER: Seamless knit Acrylic/
Cotton/Polyester liner

GRIP: Rough

SIZES: S-XL
6/S | 7/M | 8/L | 9/XL

- ADVANTAGES:**
- Lightweight
 - Natural Rubber palm coating
 - Handling small parts
 - Breathable
 - Ergonomic Design

APPLICATIONS: Carpentry, Demolition, Shipping, Brick laying, Roofing



SHOWA ATLAS® 317

FEATURES:

COATING: Natural Rubber
LINER: Seamless knit Acrylic/
Cotton/Polyester liner

GRIP: Rough

SIZES: S-XL
7/S | 8/M | 9/L | 10/XL

- ADVANTAGES:**
- Hi Vis Color
 - Textured Palm
 - Breathable
 - Ergonomic Design
 - Excellent Dexterity

APPLICATIONS: Carpentry, Demolition, Shipping, Brick laying, Culvert-Storm Drain Work, Waste Water Infrastructure



SHOWA ATLAS® 350R

FEATURES:

COATING: Nitrile
LINER: Seamless knit Acrylic/
Cotton/Polyester liner

GRIP: Rough

SIZES: S-XL
7/S | 8/M | 9/L | 10/XL

- ADVANTAGES:**
- Thermal insulation
 - Breathable
 - Flexible
 - Abrasion-resistant
 - Extra Grip

APPLICATIONS: Carpentry, Demolition, Shipping, Brick laying



SHOWA ATLAS® 370B

FEATURES:

COATING: Nitrile
LINER: Seamless knit
Nylon Liner

GRIP: Smooth

SIZES: S-XXL
6/S | 7/M | 8/L | 9/XL | 10/XXL

- ADVANTAGES:**
- Lightweight
 - Nitrile palm coating
 - Handling small parts
 - Breathable
 - Ergonomic Design

APPLICATIONS: Maintenance, Intricate parts handling, Light assembly of oil-coated pieces



SHOWA MFT™
264

FEATURES:

ADVANTAGES:

- Unique inner grip
- Advanced gripping power
- Ultra Lightweight
- Breathable Microfiber liner
- Moisture-wicking

APPLICATIONS: Carpentry, Demolition, Shipping, Brick laying

COATING: Polyurethane

LINER: 13g Seamless knit engineered Microfiber & nylon yarn

GRIP: Smooth

SIZES: S-XXL
6/S | 7/M | 8/L | 9/XL | 10/XXL



SHOWA MFT™
344

FEATURES:

ADVANTAGES:

- Ergonomic shape
- Advanced gripping power
- Ultra Lightweight
- Breathable Microfiber liner
- Moisture-wicking

APPLICATIONS: Carpentry, Demolition, Shipping, Brick laying

COATING: Natural Rubber

LINER: 13g Seamless knit engineered Microfiber & nylon yarn

GRIP: Rough

SIZES: S-XXL
6/S | 7/M | 8/L | 9/XL | 10/XXL



SHOWA MFT™
381

FEATURES:

ADVANTAGES:

- Oil Resistant palm
- Increased Sensitivity
- Ultra Lightweight
- Breathable Microfiber liner
- Moisture-wicking

APPLICATIONS: Carpentry, Demolition, Shipping, Brick laying, Roofing

COATING: Embossed microporous nitrile

LINER: 13g Seamless knit engineered Microfiber & nylon yarn

GRIP: Smooth

SIZES: XS-XXL
5/XS | 6/S | 7/M | 8/L | 9/XL | 10/XXL



SHOWA MFT™
374

FEATURES:

ADVANTAGES:

- Ergonomic shape
- Advanced gripping power
- Ultra Lightweight
- Breathable Microfiber liner
- Moisture-wicking

APPLICATIONS: Carpentry, Demolition, Shipping, Brick laying

COATING: Flat Nitrile

LINER: 13g Seamless knit engineered Microfiber & nylon yarn

GRIP: Smooth

SIZES: S-XXL
6/S | 7/M | 8/L | 9/XL | 10/XXL



SHOWA
XW300

FEATURES:

A5 ANSI LEVEL 5 CUT RESISTANT

ADVANTAGES:

- Thermal Insulation
- A5 Cut Resistance
- Hi-Viz
- Breathable
- Liquid & Wind proof

APPLICATIONS: Outdoor winter, Plumbing, Concrete Pouring, Material Handling, Winter Site Labor

COATING: Natural Rubber + Foam Natural Rubber

LINER: **OUTER:** 13G Nylon, Polyester
INNER: 7G Acrylic, Kevlar Stainless steel

GRIP: Rough

SIZES: M-XXL
7/M | 8/L | 9/XL | 10/XXL



SHOWA
406

FEATURES:

ADVANTAGES:

- Thermal Insulation
- Hi-Viz
- Breathable
- Liquid & Wind proof

APPLICATIONS: Outdoor winter, Plumbing, Concrete Pouring, Material Handling

COATING: Natural Rubber + Foam Natural Rubber

LINER: Seamless knit Nylon/ Insulated Acrylic, Nylon liner

GRIP: Rough

SIZES: M-XXL
7/M | 8/L | 9/XL | 10/XXL



SHOWA
451

FEATURES:

ADVANTAGES:

- Thermal insulation
- Breathable
- Flexible
- Abrasion-resistant
- Extra Grip

APPLICATIONS: Carpentry, Demolition, Shipping, Brick laying

COATING: Natural Rubber

LINER: Seamless knit Acrylic/ Cotton/Polyester liner

GRIP: Rough

SIZES: S-XL
7/S | 8/M | 9/L | 10/XL



SHOWA
GW345

FEATURES:

ADVANTAGES:

- Thermal insulation
- Handling small parts
- Reduces Fatigue
- Excellent Dexterity
- Firm Grip

APPLICATIONS: Carpentry, Cold Storage work, Brick laying

COATING: Natural Rubber

LINER: Seamless knit Acrylic/ Cotton/Polyester liner

GRIP: Rough

SIZES: M-XXL
7/M | 8/L | 9/XL | 10/XXL



SHOWA TEMRES®
282

FEATURES:

ADVANTAGES:

- Ergonomic, waterproof TEMRES® Technology
- Fleece lining
- Breathable
- Skin-friendly

APPLICATIONS: Refrigeration, Plumbing, Pool/Pond Maintenance

COATING: Polyurethane

LINER: Seamless knit Nylon/Insulated Acrylic, liner

LENGTH: 10.8"

GRIP: Rough

SIZES: M-XXL
8/M | 9/L | 10/XL | 11/XXL



SHOWA
XC500

FEATURES:

A5 ANSI LEVEL 5 CUT RESISTANT

ADVANTAGES:

- Ultra-lightweight
- A5 Cut Resistance
- Abrasion Resistance
- Increased Flexibility

COATING: Polyurethane palm

LINER: 13-gauge seamless knit with stainless steel and HPPE

GRIP: Rough

SIZES: S-XXL
6/S | 7/M | 8/L | 9/XL | 10/XXL

APPLICATIONS: Heavy duty construction, Handling rough materials like bricks, concrete, and metal rods

DURACOIL
Alpha
Durability in Every Stitch



SHOWA
XC510

FEATURES:

A4 ANSI LEVEL 4 CUT RESISTANT

ADVANTAGES:

- Ultra-lightweight
- A4 Cut Resistance
- Maximum Tactility
- Increased Flexibility

COATING: Polyurethane palm

LINER: 18-gauge seamless knit HPPE

GRIP: Rough

SIZES: S-XXL
6/S | 7/M | 8/L | 9/XL | 10/XXL

APPLICATIONS: Lightweight tactile work, General maintenance, & Small parts handling & wire work

DURACOIL
Alpha
Durability in Every Stitch



SHOWA
XC810

FEATURES:

A4 ANSI LEVEL 4 CUT RESISTANT

ADVANTAGES:

- Ultra-lightweight
- A4 Cut Resistance
- Wet & Oily Grip
- Maximum Tactility
- Touchscreen Compatible
- Underground Wiring work

COATING: Microporous Nitrile

LINER: 18-gauge seamless knit HPPE

GRIP: Embossed S-shaped Foam Nitrile Palm

SIZES: XS-XXL
5/XS | 6/S | 7/M | 8/L | 9/XL | 10/XXL

APPLICATIONS: Lightweight tactile work, General maintenance, & Small parts handling & wire work



SHOWA
XC800

FEATURES:

A5 ANSI LEVEL 5 CUT RESISTANT

ADVANTAGES:

- Ultra-lightweight
- A5 Cut Resistance
- Wet & Oily Grip
- Abrasion Resistance
- Touchscreen Compatible

COATING: Microporous Nitrile

LINER: 13-gauge seamless knit with stainless steel and HPPE

GRIP: Embossed S-shaped Foam Nitrile Palm

SIZES: XS-XXL
5/XS | 6/S | 7/M | 8/L | 9/XL | 10/XXL

APPLICATIONS: Heavy duty construction, Handling rough materials like bricks, concrete, and metal rods



DuPont™
Kevlar.

SHOWA ATLAS®
KV300

FEATURES:

A3 ANSI LEVEL 3 CUT RESISTANT

ADVANTAGES:

- Ultra-lightweight
- A3 Cut Resistance
- Maximum Tactility
- Increased Flexibility

COATING: Natural Rubber

LINER: 10-gauge seamless knit with stainless steel and HPPE

GRIP: Rough

SIZES: S-XXL
7/S | 8/M | 9/L | 10/XL | 11/XXL

APPLICATIONS: HVAC, Assembly, Mechanical Contracting.



DuPont™
Kevlar.

SHOWA ATLAS®
KV660

FEATURES:

A2 ANSI LEVEL 2 CUT RESISTANT

ADVANTAGES:

- Ultra-lightweight
- A2 Cut Resistance
- Maximum Tactility
- Increased Flexibility

COATING: PVC

LINER: 10-gauge seamless knit with stainless steel and HPPE

LENGTH: 12"

GRIP: Rough

SIZES: M-XXL
8/M | 9/L | 10/XL | 11/XXL

APPLICATIONS: HVAC, Assembly, Mechanical Contracting.



DuPont™
Kevlar.

SHOWA ATLAS®
KV350

FEATURES:

A3 ANSI LEVEL 3 CUT RESISTANT

ADVANTAGES:

- Ultra-lightweight
- A3 Cut Resistance
- Maximum Tactility
- Increased Flexibility

COATING: Nitrile

LINER: 10-gauge seamless knit with stainless steel and HPPE

GRIP: Rough

SIZES: S-XXL
7/S | 8/M | 9/L | 10/XL

APPLICATIONS: HVAC, Assembly, Mechanical Contracting.



SHOWA ATLAS®
620

FEATURES:

COATING: PVC

LINER: Seamless knit Cotton liner

GRIP: Rough

SIZES: S-XXL
7/S | 8/M | 9/L | 10/XL | 11/XXL

- ADVANTAGES:**
- Double Dipped PVC Coating
 - Chemical Resistant
 - Water Resistant
 - Abrasion Resistant
 - Ergonomic Shape

APPLICATIONS: Chemical spray and treatment, Coating preparation, Paint spraying & Concrete pouring



SHOWA ATLAS®
600

FEATURES:

COATING: PVC

LINER: Seamless knit cotton liner

GRIP: Rough

SIZES: S-XL
7/S | 8/M | 9/L | 10/XL

- ADVANTAGES:**
- Full PVC Coating
 - Chemical Resistant
 - Water Resistant
 - Elasticated wrist cuff
 - Ergonomic Shape

APPLICATIONS: Chemical spray & treatment, Washing & Cleaning, Concrete, Public utility



SHOWA
660

FEATURES:

COATING: PVC

LINER: Seamless knit cotton liner

GRIP: Rough

SIZES: S-XXL
7/S | 8/M | 9/L | 10/XL | 11/XXL

- ADVANTAGES:**
- Triple Dipped PVC Coating
 - Chemical Resistant
 - Water Resistant
 - Abrasion Resistant
 - Ergonomic Shape

APPLICATIONS: Chemical spray and treatment, Coating preparation, Paint spraying & Concrete pouring



SHOWA ATLAS®
640

FEATURES:

COATING: PVC

LINER: Polyester/Cotton liner, vinyl sleeve

GRIP: Rough

SIZES: M-XL
8/M | 9/L | 10/XL

- ADVANTAGES:**
- Full-arm protection
 - Double coated on hand
 - Chemical Resistant
 - Water Resistant
 - Liquid-resistant vinyl sleeve

APPLICATIONS: Concreting, Coating preparation, Chemical Handling, Painting, Spraying, Sewage & Water treatment, Pool /Pond Maintenance



SHOWA ATLAS®
772

FEATURES:

COATING: Nitrile

LINER: Cut and sewn Polyester/Cotton liner

GRIP: Rough

SIZES: M-XL
8/M | 9/L | 10/XL

- ADVANTAGES:**
- Full-arm protection
 - Double coated on hand
 - Chemical Resistant
 - Oil & Water Resistant
 - Antibacterial
 - Anti-odor
 - Abrasion-resistant
 - Extra Grip

APPLICATIONS: Concreting, Coating preparation, Chemical Handling, Painting, Spraying, Sewage & Water treatment, Concrete Chute pouring



SHOWA
CS700

FEATURES:

COATING: Nitrile

LINER: Seamless knit polyester liner

LENGTH: 12"

GRIP: Rough

SIZES: S-XXL
7/S | 8/M | 9/L | 10/XL | 11/XXL

- ADVANTAGES:**
- Double coated Nitrile
 - Anti-Slip Grip
 - Chemical Resistant
 - Oil resistant
 - Ergonomic Shape



SHOWA
CS710

FEATURES:

COATING: Foam Nitrile

LINER: Seamless knit polyester liner

LENGTH: 12"

GRIP: Smooth

SIZES: S-XXL
7/S | 8/M | 9/L | 10/XL | 11/XXL

- ADVANTAGES:**
- Foam Nitrile Palm
 - Enhanced Grip
 - Chemical Resistant
 - Oil resistant
 - Ergonomic Shape



SHOWA
CS720

FEATURES:

COATING: Nitrile

LINER: Seamless knit nylon polyester liner

LENGTH: 12"

GRIP: Rough

SIZES: S-XXL
7/S | 8/M | 9/L | 10/XL | 11/XXL

- ADVANTAGES:**
- Rough Nitrile Palm
 - Enhanced Grip
 - Chemical Resistant
 - Oil resistant
 - Ergonomic Shape



SHOWA
CS701

FEATURES:

COATING: Nitrile

LINER: Seamless knit polyester liner

LENGTH: 14"

GRIP: Rough

SIZES: S-XXL
7/S | 8/M | 9/L | 10/XL | 11/XXL

- ADVANTAGES:**
- Double coated Nitrile
 - Anti-Slip Grip
 - Chemical Resistant
 - Oil resistant
 - Ergonomic Shape



SHOWA
CS711

FEATURES:

COATING: Foam Nitrile

LINER: Seamless knit polyester liner

LENGTH: 14"

GRIP: Smooth

SIZES: S-XXL
7/S | 8/M | 9/L | 10/XL | 11/XXL

- ADVANTAGES:**
- Foam Nitrile Palm
 - Enhanced Grip
 - Chemical Resistant
 - Oil resistant
 - Ergonomic Shape



SHOWA
CS721

FEATURES:

COATING: Nitrile

LINER: Seamless knit nylon polyester liner

LENGTH: 14"

GRIP: Rough

SIZES: S-XXL
7/S | 8/M | 9/L | 10/XL | 11/XXL

- ADVANTAGES:**
- Rough Nitrile Palm
 - Enhanced Grip
 - Chemical Resistant
 - Oil resistant
 - Ergonomic Shape



SHOWA
7500PF

FEATURES:

- SIZES:** XS-XXL
- GRIP:** Textured fingertips
- THICKNESS:** 4mil
- LENGTH:** 9.5"
- DISPENSER SIZE:** (100)
- +FDA 21 CFR 177.2600**
- APPLICATIONS:** Painting, Small parts handling, Cleaning, Washing

- ADVANTAGES:**
- EBT Biodegradable
 - Increased Dexterity
 - Low Modulus Nitrile for enhanced flexibility



SHOWA
8005PF

FEATURES:

- SIZES:** S-XL
- GRIP:** Textured fingertips
- THICKNESS:** 8mil
- LENGTH:** 9.5"
- DISPENSER SIZE:** (100)
- +FDA 21 CFR 177.2600**
- APPLICATIONS:** Painting, Small parts handling, Cleaning, Washing, Plumbing

- ADVANTAGES:**
- EBT Biodegradable
 - Increased Dexterity
 - Low Modulus Nitrile for enhanced flexibility



SHOWA
9700PF

FEATURES:

- SIZES:** S-XXL
- GRIP:** Textured fingertips
- THICKNESS:** 6mil
- LENGTH:** 11"
- DISPENSER SIZE:** (100)
- +FDA 21 CFR 177.2600**
- APPLICATIONS:** Painting, Small parts handling, Cleaning, Washing, Plumbing



- ADVANTAGES:**
- Low Modulus Nitrile for enhanced flexibility
 - EBT Biodegradable



SHOWA
7700PFT

FEATURES:

- SIZES:** S-XL
- GRIP:** Textured fingertips
- THICKNESS:** 4mil
- LENGTH:** 9.5"
- DISPENSER SIZE:** (100)
- +FDA 21 CFR 177.2600**



- ADVANTAGES:**
- Low Modulus Nitrile for enhanced flexibility
 - EBT Biodegradable

- APPLICATIONS:** Painting, Small parts handling, Cleaning, Washing



SHOWA
6112PF

FEATURES:

- SIZES:** XS-XXL
- GRIP:** Textured fingertips
- THICKNESS:** 4mil
- LENGTH:** 9.5"
- DISPENSER SIZE:** (100)
- +FDA 21 CFR 177.2600**



- ADVANTAGES:**
- Low Modulus Nitrile for enhanced flexibility
 - EBT Biodegradable

- APPLICATIONS:** Painting, Small parts handling, Cleaning, Washing



SHOWA PyraGrip™
709B

FEATURES:

- SIZES:** S-XXL
- GRIP:** Unique Channel System Diverts Fluid
- THICKNESS:** 8mil
- LENGTH:** 9.5"
- DISPENSER SIZE:** (100)
- +FDA 21 CFR 177.2600**
- APPLICATIONS:** Painting, Small parts handling, Cleaning, Washing, Plumbing


ADVANTAGES:



- A secure and reliable grip even in the presence of oils or liquids

PYRAGRIP TECHNOLOGY

PyraGrip's engineered texture not only provides exceptional grip in dry conditions, but also excels in wet environments.



SHOWA PyraGrip™
709HVO

FEATURES:

- SIZES:** S-XXL
- GRIP:** Unique Channel System Diverts Fluid
- THICKNESS:** 8mil
- LENGTH:** 9.5"
- DISPENSER SIZE:** (100)
- +FDA 21 CFR 177.2600**
- APPLICATIONS:** Painting, Small parts handling, Cleaning, Washing, Plumbing

ADVANTAGES:

- A secure and reliable grip even in the presence of oils or liquids



