



Protect Your Hands with Innovation

CONSTRUCTION INDUSTRY

GLOVE SERIES



**THE ULTIMATE IN HAND PROTECTION
FOR THE CONSTRUCTION INDUSTRY**

THE IMPORTANCE OF HAND PROTECTION IN THE MODERN CONSTRUCTION INDUSTRY

The construction industry drives infrastructure, commercial, and residential growth; it is a high-risk, fast-paced environment, managing hundreds of active workers across various trades, carpentry, masonry, concrete pouring, and steel erection, requiring robust operational coordination.

THE BALANCE BETWEEN PROJECT TIMELINES AND WORKER SAFETY

The ultimate challenge for project management is balancing project margins and timelines with strict HSE compliance. With hand injuries representing the most common recordable incident on a construction site, achieving “Target Zero” safety incidents helps prevent costly labor downtime, avoid regulatory penalties, and protects your company’s reputation during competitive bidding.



**Demolition
& Excavation**



**Concrete &
Masonry Work**



**Structural Erection &
Rigging**



**Plumbing &
HVAC Systems**



**Electrical &
Telecommunications**



**Road & Bridge
Infrastructure**



WELCOME TO SHOWA CONSTRUCTION SAFETY SOLUTIONS

Protecting What Matters Most: Your Crew, Your Timelines, Your Reputation.

At SHOWA, we design hand protection that bridges the gap between safety compliance and job site productivity. We understand that workers remove bulky gloves to handle fine parts, use touchscreens, or reduce hand sweat, leaving them vulnerable to lacerations. This catalogue helps HSE managers standardize safety profiles and project leads reduce the Total Cost of Ownership (TCO).

In this catalogue, you'll find:

- ✓ EN safety standards for hand protection decoded.
- ✓ Glove selector tool categorized by task, cut level, and environment.
- ✓ High-performance grip technologies for oily, wet, and abrasive work.
- ✓ Sustainable, biodegradable single-use and chemical solutions.
- ✓ Details on requesting your complimentary, on-site Sentinel Survey.

WHY SHOWA?

SHOWA offers unmatched quality and innovation in industrial hand protection.

As a fully integrated global manufacturer, we control every step, ensuring 100% quality.

With a legacy of industry firsts, like the first PVC glove and biodegradable options, SHOWA prioritises innovation and customer needs.

Our rigorous inspection process, advanced technologies, and dedication to comfort and safety set us apart.

Choosing SHOWA means relying on a forward-thinking company with extensive expertise and a commitment to delivering superior hand and arm protection.

THANK YOU FOR CHOOSING SHOWA.

TOGETHER LET'S MAKE YOUR OPERATIONS SAFER, BETTER, AND MORE PROTECTED.



GLOVE SIZE CHART

It is crucial to get the glove size right for maximum dexterity.

Here are a few recommendations to help you in finding the right size of gloves you need.


Glove size further to EN 420	Hand (mm)		Glove (mm)
	Palm circumference	Length	Minimum length
6	152	160	220
7	178	171	230
8	203	182	240
9	229	192	250
10	254	204	260
11	279	215	270

COLOUR-CODED CUFF

Some styles of SHOWA® gloves have a colour-coded cuff. These cuffs enable the size recognition in the factory and the pairing after washing the gloves.

TESTING PRIOR TO USING

If the glove is too small, it cuts off the blood circulation and restricts the movement of the hand. On the other hand, oversized gloves slip off at the slightest movement and make your handling very imprecise. To be sure of your size and fit, do not hesitate to ask for samples from your SHOWA® distributor.



PLACE YOUR RIGHT HAND ON THE DIAGRAM:

The green line should be between your thumb and index finger.

The size is indicated on the right.



DECODING CONSTRUCTION SAFETY REGULATIONS

QUICK REFERENCE GUIDE TO HAND PROTECTION EN STANDARDS FOR SAFETY MANAGERS

EN STANDARD	PRIMARY RISK COVERED	TYPICAL CONSTRUCTION ACTIVITY
EN 388	Cut, Abrasion, Puncture, Impact	Framing, rebar tying, glass installation, demolition
EN ISO 374	Caustic chemicals, wet cement, solvents	Concrete pouring, grouting, epoxy application, tank cleaning
EN 511	Chilled environments, ice, wet cold	Outdoor winter work, wet trenching, marine civil work
EN 407	Contact heat, sparks, open flame	Welding prep, torching, hot-mix asphalt, grinding
EN ISO 21420	Basic ergonomics, harmlessness, fit	All general handling and trade tasks

MECHANICAL, IMPACT & CUT HAZARDS

EN 388:2016+A1:2018 Protection Against Mechanical Risks

Why it matters: The foundational standard for almost every site glove. It evaluates Abrasion, Cut (Coupe test & ISO 13997 TDM test), Tear, Puncture, and Impact Protection.

Construction Relevance: Protects workers handling coarse concrete blocks, rebar, sheet metal framing, glass panels, and heavy demolition debris.

CHEMICAL, WET & CEMENT HAZARDS

EN 374:2016+A1 2018 Protection Against Hazardous Chemicals & Microorganisms

Why it matters: Divided into multiple parts:

- **EN ISO 374-1:** Evaluates chemical permeation (Types A, B, and C based on breakthrough times against specific test chemicals).
- **EN ISO 374-2:** Tests for penetration resistance (water/air tightness).
- **EN ISO 374-5:** Tests for protection against biological agents and viruses.

Construction Relevance (Cement & Mortar): Wet cement, mortar, and concrete additives are highly alkaline and cause severe chemical burns and Chrome VI contact dermatitis. Gloves certified under EN ISO 374, such as liquid-proof PVC or nitrile gauntlets like the SHOWA 660 or CS720, prevent skin absorption of wet mixtures, wash chemicals, epoxy resins, and sealants.

THERMAL HAZARDS (COLD & HEAT)

EN 511:2006 Protection Against Cold

Why it matters: Measures a glove's ability to withstand extreme cold via three parameters:

1. **Convective cold resistance** (0-4)
2. **Contact cold resistance** (0-4)
3. **Water permeability** (0 = water penetrated after 30 mins; 1 = no water penetration)

Construction Relevance: Essential for winter site labor, unheated concrete pours, drainage plumbing, and cold-storage facility construction, for example, SHOWA TEMRES 282 or SHOWA 477.

EN 407:2020 Protection Against Thermal Risks (Heat and/or Fire)

Why it matters: Evaluates resistance to flammable behavior, contact heat, convective heat, radiant heat, and splashes of molten metal.

Construction Relevance: Crucial for welding prep, hot-work cutting/grinding, asphalt paving, and handling hot machinery parts, for example, SHOWA 6781R for FR/arc hazards or 8814 for high contact heat.

ELECTRICAL & GENERAL SAFETY STANDARDS

EN ISO 21420:2020 General Requirements & Test Methods

(Replaced EN 420)

Why it matters: The mandatory baseline standard that all safety gloves must meet. It governs:

- Ergonomics, sizing, and comfort.
- Glove design and innocuousness, ensuring materials like Chromium VI, PH levels, or azo dyes don't harm the wearer.
- Electrostatic properties (ESD).

Construction Relevance: Guarantees that gloves won't cause allergic skin reactions during long, sweaty site shifts and that sizing aligns across trade teams.

EN 60903 Live Working (Electrical Insulating Gloves)

Why it matters: Classifies gloves from Class 00 (500V) to Class 4 (36,000V) for dielectric electrical insulation.

Construction Relevance: Mandatory for electricians, utility linemen, and crews working near high-voltage underground cables or energized site panels.

HAND PROTECTION IN THE CONSTRUCTION INDUSTRY

GENERAL PURPOSE



GP381E



306



330



PUBLIC WORK

Driving machines	●	●	
Maintenance		●	
Slingers/signaler			●
Demolition		●	●



FOUNDATIONS/ STRUCTURE

Steel fixing			
Concreting			
Steel erector			
Shuttering	●	●	
Concrete pouring			
Mechanical and engineering	●		



SCAFFOLDER

Scaffolding installation			●
--------------------------	--	--	---



MASON

Brick laying		●	●
Cementing			
Mortar			



ROOFER & CARPENTER

Guttering and drain pipe		●	
Roofing application membranes		●	
Insulation	●	●	
Flashings and seals		●	
Internal fixing		●	
Wood joinery		●	



GLASS AND GLAZING

Fixing glass and windows			
Handling glass and windows			



PLUMBER - HEATER

Plumbing	●		
Drainage, piping			
Heating, ventilation	●		



ELECTRICIAN

Installing electrical wiring/components			
Using test equipment			
Installing trunking			



TILER

Tile setting			
Grouting/cleaning off			



PAINTER & DECORATOR/ PLASTERER

Painting			●
Washing/cleaning			
Sanding			
Screw and nail setting	●		
Skirting placement	●		
Coating preparation	●		
Plastering			
Decoration			

CUT PROTECTION				CHEMICAL		COLD		SPECIFIC		
										
DURACoil® 546	4562	S-TEX 376	S-TEX 581	660	CS720	477	XW300	6112PF	TEMRES 281	XC832IP
						•	•	•		
						•		•		•
						•	•			
						•	•			•
•	•	•	•							
				•	•	•				•
•	•	•	•							
						•				•
				•	•	•				•
•	•	•	•							
							•			•
	•						•			•
				•	•	•	•			
				•	•	•	•			
						•	•			
						•	•			
						•	•			
•			•			•	•			
						•	•			
•	•	•	•							
•	•	•	•							
						•	•	•	•	
						•	•	•	•	•
•			•			•	•			
•			•							
•			•							
						•				
						•				
					•	•		•	•	
						•		•	•	
						•		•	•	
•			•							
•			•							
						•		•	•	
								•	•	
								•	•	



GENERAL PURPOSE

Maintaining efficiency in the construction industry requires versatile protection that transitions between heavy trade tasks and precise mechanical upkeep. Our general purpose gloves provide the dexterity needed for framing, masonry, and fine-motor tasks like parts handling or tool adjustments. Beyond heavy-duty labor, these durable designs offer the reliable grip necessary for essential machinery repairs and routine site maintenance, keeping your crew productive across every stage of the project.



Find out more about these products at:
www.showagroup.com/eu-en

GENERAL PURPOSE



SHOWA®

306

Impermeable yet breathable outdoor work glove designed to keep hands dry in all weather conditions

BENEFITS

- Skin-friendly
- Form-fitting
- Flexible
- Increased dexterity
- Breathable
- Water-resistant
- Extra grip
- Seamless knit

FEATURES

Liner: **Nylon, Polyester, Seamless knit**
Coating: **Latex, Latex foam**
Grip: **Aerated latex foam grip**

APPLICATIONS

- Handling heavy equipment
- Signalers
- Brick laying
- Drainage
- Piping
- Guttering & drain pipe
- Insulation
- Plumbing
- Roofing
- Washing and cleaning

SIZES

6/S - 10/XXL

LENGTH

240 mm - 270 mm



SHOWA®

310

Ergonomically designed general-purpose glove with a breathable open-back and rough-textured natural rubber palm coating

BENEFITS

- Robust grip
- Form-fitting
- Breathable
- Increased dexterity
- Seamless knit

FEATURES

Liner: **Cotton, Polyester, Seamless knit**
Coating: **Latex (Palm-dipped natural rubber)**
Grip: **Rough grip**

APPLICATIONS

- Handling plants & vegetables
- Carpentry
- Driving machines
- Guttering
- Maintenance
- Masonry
- Planting & repotting
- Wood cutting
- Public utility
- Shipping/receiving

SIZES

7/S - 10/XL

LENGTH

220 mm - 260 mm



SHOWA®

317

Fluorescent high-visibility general-purpose glove designed for protection and grip in low-light indoor and outdoor environments

BENEFITS

- Seamless knit
- Form-fitting
- Extra grip
- Increased visibility

FEATURES

Liner: **Polyester, Seamless knit**
Coating: **Latex (Palm-dipped natural rubber)**
Grip: **Rough grip**

APPLICATIONS

- Handling heavy equipment
- Signalers
- Maintenance
- Slingers & signalers
- Shipping/receiving

SIZES

7/S - 10/XL

LENGTH

220 mm - 260 mm



GENERAL PURPOSE



SHOWA®

330

Abrasion-resistant general-purpose glove with reinforced thumb crotch and natural rubber coating designed to reduce hand fatigue

BENEFITS

- Abrasion-resistant
- Extra grip
- Breathable
- Seamless knit
- Skin-friendly

FEATURES

Liner: **Cotton, Polyester, Seamless knit**
Coating: **Latex (Palm-dipped natural rubber)**
Grip: **Rough grip**

APPLICATIONS

- Handling heavy equipment
- Automotive repairs & maintenance
- Maintenance
- Plastics injection & moulding
- Scaffolding installation
- Shipping/receiving

SIZES

7/S - 10/XL

LENGTH

230 mm - 270 mm



SHOWA®

341

Lightweight, water-resistant natural rubber palm-coated glove providing tactile precision and dexterity in wet or dry environments

BENEFITS

- Extra grip
- Seamless knit
- Increased dexterity
- Breathable
- Flexible
- Form-fitting
- Skin-friendly

FEATURES

Liner: **Nylon, Polyester, Seamless knit**
Coating: **Latex (Palm-dipped natural rubber)**
Grip: **Rough grip**

APPLICATIONS

- Decoration
- Drainage
- Piping
- Flashings and seals
- Guttering and drain pipe
- Electrical wiring
- Insulation
- Roofing application membranes

SIZES

6/S - 9/XL

LENGTH

210 mm - 260 mm



SHOWA®

380

General-purpose glove with microporous foam nitrile palm coating and open-back design, ideal for handling oily components and heavy objects

BENEFITS

- Oil-resistant
- Extra grip
- Seamless knit
- Skin-friendly
- Breathable
- Increased dexterity
- Form-fitting
- Water-resistant

FEATURES

Liner: **Nylon, Seamless knit**
Coating: **Microporous foam nitrile**
Grip: **Foam grip**

APPLICATIONS

- Automotive repairs and maintenance
- Intricate parts handling
- Light assembly of oil-coated pieces
- Shuttering
- White goods

SIZES

6/S - 9/XL

LENGTH

220 mm - 260 mm



GENERAL PURPOSE

SHOWA®

MFT PRO GP381E



RECYCLED
% of liner
80%
CO₂
saving
71.0g

NEW

SIZES

6/S - 10/XXL

LENGTH

210 mm - 265 mm



An eco-conscious, general-purpose work glove designed for high-dexterity tasks. This glove offers a combination of enhanced gripping power and moisture-wicking breathability

BENEFITS

- Unique inner grip
- Enhanced gripping power
- Ultra-lightweight
- Maximum breathability
- Moisture-wicking

FEATURES

Liner: **13-gauge Recycled Microfibre/ Nylon, Seamless knit**

Coating: **Microporous foam nitrile**

Grip: **Embossed S-shape grip**

APPLICATIONS

- Intricate parts handling
- Light assembly
- Mechanical and engineering
- Automotive repairs
- Tool operation
- Oily metals
- Construction



GENERAL PURPOSE | WATERPROOF | INSULATED | CUT | CHEMICAL | SINGLE USE

GENERAL PURPOSE



SHOWA®

MFT PRO 264

Ultra-lightweight general-purpose glove featuring MicroFiber Technology (MFT PRO) with foam polyurethane palm coating over engineered microfibre liner

BENEFITS

- Lightweight
- Breathable
- Seamless knit

FEATURES

Liner: **Engineered yarn, Microfibre, Seamless knit**
Coating: **Polyurethane (Foam PU palm dip)**
Grip: **Smooth foam grip**

APPLICATIONS

- Automotive repairs and maintenance
- General purpose
- Maintenance
- Intricate parts handling

SIZES

6/S - 10/XXL

LENGTH

210 mm - 265 mm



SHOWA®

MFT PRO 344

General-purpose glove featuring MicroFiber Technology (MFT PRO) with natural rubber latex palm coating over a 13-gauge engineered microfibre liner

BENEFITS

- Lightweight
- Seamless knit
- Breathable
- Extra grip
- Flexible

FEATURES

Liner: **13-gauge Engineered yarn, Microfibre, Seamless knit**
Coating: **Latex (Natural rubber palm coating)**
Grip: **Natural rubber latex grip**

APPLICATIONS

- Automotive repairs and maintenance
- General purpose
- Intricate parts handling
- Shipping/receiving

SIZES

6/S - 10/XXL

LENGTH

210 mm - 260 mm



SHOWA®

MFT PRO 374

Eco-conscious general-purpose glove featuring flat nitrile palm coating over a 13-gauge seamless knit microfibre and nylon yarn liner

BENEFITS

- Unique inner grip
- Enhanced gripping power
- Ultra-lightweight
- Maximum breathability
- Moisture-wicking

FEATURES

Liner: **13-gauge Engineered yarn, Microfibre, Seamless knit**
Coating: **Nitrile (Flat nitrile palm coating)**
Grip: **Flat nitrile grip**

APPLICATIONS

- Intricate parts handling
- Light assembly
- Mechanical and engineering

SIZES

6/S - 10/XXL

LENGTH

220 mm - 270 mm



GENERAL PURPOSE



SHOWA®

MFT PRO 381

Ultra-lightweight general-purpose glove featuring MicroFiber Technology (MFT PRO) with embossed microporous foam nitrile palm coating

BENEFITS

- Unique inner grip
- Enhanced gripping power
- Ultra-lightweight
- Maximum breathability
- Moisture-wicking

FEATURES

Liner: **Engineered yarn, Microfibre, Seamless knit**
Coating: **Microporous foam nitrile**
Grip: **Embossed S-shape grip**

APPLICATIONS

- Intricate parts handling
- Light assembly
- Mechanical and engineering
- General purpose



SIZES

6/S - 10/XXL

LENGTH

210 mm - 265 mm



GENERAL PURPOSE | WATERPROOF | INSULATED | CUT | CHEMICAL | SINGLE USE



WATERPROOF PROTECTION

Exposure to water, mud, and chemicals threatens worker safety. SHOWA's waterproof protection solutions feature fully dipped, liquid-proof gloves engineered to prevent liquid penetration and skin absorption. Utilizing advanced materials and proprietary TEMRES® membrane technology, these flexible, breathable gloves shield against wet hazards while maintaining the essential grip needed to keep workers productive.



SHOWA®

377

Durable general-purpose glove with double nitrile coating designed to disperse oil and enhance grip in wet, dry, or oily conditions while keeping out dirt and debris

BENEFITS

- Water-resistant
- Form-fitting
- Seamless knit
- Oil-resistant
- Flexible
- Tactile precision

FEATURES

Liner: **Nylon, Polyester, Seamless knit**
Coating: **Foam nitrile, Nitrile (3/4 nitrile dipped with extra foam nitrile on palm)**
Grip: **Foam grip**

APPLICATIONS

- Maintenance
- Concreting
- Mortar
- Washing and cleaning
- Light assembly of oil-coated pieces

SIZES

6/S - 10/XXL

LENGTH

250 mm - 280 mm



Find out more about these products at:
www.showagroup.com/eu-en



SHOWA®

377IP

Impact-resistant glove designed with back-of-hand knuckle, finger, and metacarpal shock reduction, combining oil grip impermeability with high visibility

BENEFITS

- Impact-resistant
- Latex-free
- Abrasion-resistant
- Seamless knit
- Water-resistant
- Durable

FEATURES

Liner: **Nylon, Polyester, Seamless knit**
Coating: **Fully-coated Nitrile with extra Nitrile foam palm coating**
Grip: **Sponge/Foam grip**

APPLICATIONS

- Construction
- Pipe fitting
- Heavy equipment handling

SIZES

7/M - 11/XXXL

LENGTH

260 mm - 290 mm



SHOWA®

477

Cold-resistant thermal insulated glove engineered to keep hands warm, dry, and protected down to -50°C in wet and oily environments

BENEFITS

- Seamless knit
- Cold-resistant
- Water-resistant
- Abrasion-resistant
- Extra grip
- Thermal insulation
- Form-fitting
- Impermeable

FEATURES

Liner: **Fixed insulated Acrylic, Nylon, Polyester, Seamless knit**
Coating: **Fully-coated Nitrile with extra foam nitrile palm dip**
Grip: **Foam grip**

APPLICATIONS

- Construction
- Outdoor cold work
- Handling heavy equipment
- Logistics in cold conditions

SIZES

7/M - 10/XXL

LENGTH

270 mm - 290 mm



SHOWA®

TEMRES® 281

Water-resistant yet breathable general-purpose glove featuring TEMRES® membrane technology that allows heat and sweat to escape while keeping liquids out

BENEFITS

- Breathable
- Water-resistant
- Extra grip
- Seamless knit
- Form-fitting
- Skin-friendly
- Increased dexterity

FEATURES

Liner: **Nylon, Seamless knit**
Coating: **Polyurethane (TEMRES® micro-ventilated coating)**
Grip: **Micro-roughened/Rough grip**

APPLICATIONS

- Maintenance
- Intricate parts handling
- Tile setting

SIZES

6/S - 10/XXL

LENGTH

270 mm - 280 mm





INSULATED

SHOWA's thermal insulation gloves feature specialized dual-layer and fleece linings engineered to safeguard hands against convective and contact cold. Utilizing advanced materials and windproof, liquid-proof designs, they provide a robust shield against cold-weather while maintaining the essential grip, heavy-duty physical protection, and flexibility needed to keep workers warm and productive.



Find out more about these products at:
www.showagroup.com/eu-en

SHOWA®

XW300



NEW

Cold-weather cut-resistant (Level E) glove combining high cut protection with soft thermal insulation for outdoor winter work

BENEFITS

- Protection from hand injury
- Prevents exposure to elements
- Firm grip
- Effective cold-weather work

FEATURES

Liner: **Outer: 13G Nylon/Inner: 7G Acrylic, Kevlar, Stainless Steel, Seamless knit**
Coating: **Natural Rubber (NR) full coating with NR palm coating**
Grip: **Rough grip**

APPLICATIONS

- Brick laying
- Plumbing
- Carpentry
- Driving machines
- Demolition
- Outdoor cold storage

SIZES

7/M - 10/XXL

LENGTH

260 mm - 280 mm



INSULATED



SHOWA®

406

Water-repellent thermal-insulated glove designed to preserve dexterity and grip in freezing temperatures down to -30°C

BENEFITS

- Water-resistant
- High visibility
- Thermal insulation
- Protects down to -30°C
- Abrasion-resistant

FEATURES

Liner: **Fixed insulated Acrylic, Nylon, Polyester, Seamless knit**

Coating: **Dual Natural Rubber Latex (Aerated latex foam/latex)**

Grip: **Rough grip**

APPLICATIONS


- Brick laying
- Plumbing
- Washing & cleaning
- Shipping/receiving

SIZES

7/M - 10/XXL

LENGTH

250 mm - 280 mm



NEW

SHOWA®

GW345

Insulated cold-weather glove engineered with an acrylic inner liner for softness and thermal warmth alongside high dexterity

BENEFITS

- Cold protection
- Reduces fatigue
- Excellent dexterity
- Firm non-slip grip
- Thermal insulation

FEATURES

Liner: **Acrylic inner liner, Seamless knit**

Coating: **Natural Rubber palm coating**

Grip: **Rough/Firm grip**

APPLICATIONS


- Construction
- Cold storage work
- Driving machinery
- Brick laying
- Plumbing
- Carpentry
- Shipping/receiving

SIZES

7/M - 10/XXL

LENGTH

240 mm - 270 mm



SHOWA®

451

Thermal-insulated cold weather glove with a fleece-like seamless liner and rough-textured latex palm coating to handle cold and abrasion

BENEFITS

- Thermal insulation
- Extra grip
- Seamless knit
- Skin-friendly
- Abrasion-resistant

FEATURES

Liner: **Acrylic, Cotton, Polyester, Seamless knit**

Coating: **Latex (Palm-dipped natural rubber)**

Grip: **Rough grip**

APPLICATIONS


- Signalers
- Brick laying
- Carpentry
- Driving machines
- Masonry
- Demolition
- Shipping/receiving

SIZES

7/S - 10/XL

LENGTH

220 mm - 270 mm



SHOWA®

TEMRES® 282



SIZES

7/M - 10/XXL

LENGTH

270 mm - 280 mm



Cat. II



EN 388

4221X



EN 511:2006

021

Waterproof yet breathable multi-purpose thermal glove utilizing TEMRES® technology to keep hands warm and dry in cold climates down to -50°C

BENEFITS

- Breathable
- Thermal insulation
- Water-resistant
- Seamless knit
- Extra grip
- Skin-friendly

FEATURES

Liner: **Fixed insulated Acrylic, Nylon, Thin fleece lining, Seamless knit**
Coating: **Polyurethane (TEMRES® micro-ventilated coating)**
Grip: **Rough grip**

APPLICATIONS

- Signalers
- Refrigeration
- Washing & cleaning
- Plumbing



SHOWA®

TEMRES® 282-02



NEW

SIZES

7/M - 10/XXL

LENGTH

300 mm - 340 mm



Cat. II



EN 388

4221X



EN 511:2006

021

Waterproof thermal glove featuring TEMRES® technology combined with an extended cuff, drawcord, and side-release buckle for extended forearm protection

BENEFITS

- Breathable
- Thermal insulation
- Water-resistant
- Seamless knit
- Extra grip
- Skin-friendly
- Cold protection
- Forearm protection

FEATURES

Liner: **Fixed insulated Acrylic, Nylon, Thin fleece lining, Seamless knit**
Coating: **Polyurethane (TEMRES® micro-ventilated coating)**
Grip: **Rough grip**

APPLICATIONS

- Signalers
- Refrigeration
- Washing & cleaning
- Plumbing





CUT

Crucial cut resistance is essential when frequently handling sharp tools, coarse rebar, or heavy demolition debris. SHOWA provides gloves and sleeves spanning cut levels A to F, balancing uncompromising safety with comfort. These ergonomic designs ensure full compliance and protection without sacrificing the dexterity trade teams need to stay productive.



Find out more about these products at:
www.showagroup.com/eu-en



SHOWA®

S-TEX XC500

Ultra-lightweight, ergonomic cut-resistant glove offering high cut protection (Level E/A5) with polyurethane palm coating for high dexterity and comfort in dry conditions

BENEFITS

- High cut protection
- Lightweight
- Flexible
- Breathable
- Form-fitting
- Skin-friendly
- Seamless knit
- Durable

FEATURES

Liner: **13-gauge HPPE, Stainless Steel, Polyester, Seamless knit**
Coating: **Polyurethane (Palm coating)**
Grip: **Smooth/High tactile grip**

APPLICATIONS

- Handling heavy equipment
- Mechanical and engineering
- Glass handling
- Sheet metal work
- Assembly
- Construction

SIZES

6/S - 10/XXL

LENGTH

220 mm - 270 mm



SHOWA®

DURACoil® Alpha XC510

Ultra-lightweight and eco-friendly cut-resistant glove (Level D/A4) featuring an 18-gauge UHMWPE liner and polyurethane palm coating for high dexterity and precision

BENEFITS

- OEKO-TEX certified
- High cut protection
- Ultra-lightweight
- Flexible
- Breathable
- Form-fitting
- Seamless knit

FEATURES

Liner: **18-gauge UHMWPE (HPPE), Polyester, Seamless knit**
Coating: **Polyurethane (Palm-dipped)**
Grip: **Smooth/Precise grip**

APPLICATIONS

- Intricate parts handling
- Component assembly
- Automotive repairs and maintenance
- Electronics
- Light assembly

SIZES

5/XS - 10/XXL

LENGTH

215 mm - 270 mm





SHOWA®

S-TEX XC800

Ultra-lightweight cut-resistant glove (Level E/A5) featuring microporous nitrile palm coating over an HPPE and stainless steel liner to disperse oils and liquids

BENEFITS

- High cut protection
- Oil-resistant
- Extra grip
- Breathable
- Durable
- Form-fitting
- Seamless knit
- Lightweight

FEATURES

Liner: **13-gauge HPPE, Stainless Steel, Polyester, Seamless knit**
Coating: **Microporous foam nitrile**
Grip: **Foam/Microporous grip**

APPLICATIONS

- Handling oily parts
- Mechanical and engineering
- Heavy equipment handling
- Glass handling
- Construction

SIZES

6/S - 10/XXL

LENGTH

220 mm - 270 mm



SHOWA®

DURACoil® Alpha XC810

Touchscreen-compatible, eco-friendly cut-resistant glove (Level D/A4) with microporous nitrile palm coating over an 18-gauge UHMWPE liner

BENEFITS

- OEKO-TEX certified
- Touchscreen compatible
- Cut-resistant
- Oil-resistant
- Extra grip
- Ultra-lightweight
- Breathable

FEATURES

Liner: **18-gauge UHMWPE (HPPE), Polyester, Seamless knit**
Coating: **Microporous foam nitrile**
Grip: **Foam/Embossed grip**

APPLICATIONS

- Touchscreen operation
- Oily component assembly
- Mechanical and engineering
- Intricate parts handling

SIZES

5/XS - 10/XXL

LENGTH

215 mm - 270 mm





NEW



SHOWA®

XC832IP

XC832IP is crafted with an engineered HPPE liner that delivers F level cut resistance combined with specialized impact protection for the knuckles, thumb, and fingers

BENEFITS

- Cut risk (Level F)
- Impact Resistant TPR
- Abrasion-resistant
- Comfortable & flexible
- Ergonomic shape

FEATURES

Liner: **18-gauge seamless knit HPPE with TPR on back of hand**

Coating: **Nitrile**

Grip: **Smooth**

APPLICATIONS

- Handling heavy equipment
- Rigging & Pipe Fitting
- Construction & Demolition

SIZES

7/S - 12/XXXL



SHOWA®

DURACoil® 546

Cut and abrasion-resistant (Level C/A3) multi-usage glove featuring SHOWA's engineered DURACoil liner reinforced with HPPE and foamed polyurethane palm dip

BENEFITS

- Seamless knit
- Cut-resistant
- Oil-resistant
- Abrasion-resistant
- Breathable
- Flexible
- Form-fitting
- Machine washable

FEATURES

Liner: **Engineered DURACoil liner (HPPE, Polyester), Seamless knit**

Coating: **Polyurethane (Foam PU palm dip)**

Grip: **Foam grip**

APPLICATIONS

- Intricate parts handling
- Light assembly of oil-coated pieces
- Mechanical and engineering
- Glass handling

SIZES

6/S - 10/XXL

LENGTH

220 mm - 270 mm



SHOWA®

DURACoil® 386

Highly flexible cut-resistant glove (Level C/A3) featuring HPPE-reinforced DURACoil liner and embossed microporous nitrile coating to disperse oils

BENEFITS

- Cut-resistant
- Form-fitting
- Oil-resistant
- Extra grip
- Flexible
- Increased dexterity
- Breathable
- Abrasion-resistant
- Reusable

FEATURES

Liner: **Engineered DURACoil liner (HPPE, Polyester), Seamless knit**

Coating: **Embossed microporous nitrile**

Grip: **Embossed/Foam grip**

APPLICATIONS

- Intricate parts handling
- Brick laying
- Flashings and seals
- Maintenance
- Steel fixing
- Component assembly

SIZES

6/S - 10/XXL

LENGTH

220 mm - 270 mm



SHOWA®

S-TEX® 581



High-level cut-resistant glove (Level E/A5) utilizing Hagane Coil® technology with Kevlar® and microporous nitrile coating for tactile precision in oily tasks

BENEFITS

- Cut-resistant
- Extra grip
- Abrasion-resistant
- Easy movement
- Seamless
- Form-fitting
- Breathable
- Lightweight

FEATURES

Liner: **Kevlar®, Nylon, Polyester, Stainless Steel (Hagane Coil®), Seamless knit**
 Coating: **Microporous foam nitrile**
 Thickness: **Lightweight/Ergonomic**
 Grip: **Foam/Embossed grip**

SIZES

6/S - 10/XXL


LENGTH

235 mm - 270 mm



APPLICATIONS

- Maintenance
- Light assembly of oil-coated pieces
- Mechanical and engineering
- HVAC
- Electrical wiring



SHOWA®

S-TEX® 376

High cut-resistant glove utilizing Hagane Coil® technology with full nitrile coating and additional nitrile foam palm dip to protect hands from severe cuts, liquids, and heavy oil

BENEFITS

- High cut protection
- Oil-resistant
- Liquid-proof
- Extra grip
- Durable
- Abrasion-resistant
- Ergonomic design
- Seamless knit

FEATURES

Liner: **13-gauge Hagane Coil® (Stainless steel, Polyester), Seamless knit**

Coating: **Fully coated Nitrile with additional foam Nitrile palm dip**

Grip: **Foam grip**

APPLICATIONS

- Handling glass
- Sheet metal work
- Oily component assembly
- Demolition
- Construction
- Heavy equipment handling

SIZES

6/S - 10/XXL

LENGTH

240 mm - 270 mm



Cat. II



EN 388

4X41D





SHOWA®

234

Cut-resistant (Level D/A4)
sponge nitrile palm-coated glove
featuring an engineered HPPE
fiber liner with high dexterity
and abrasion resistance

BENEFITS

- Cut-resistant
- Oil-resistant
- Extra grip
- Breathable
- Form-fitting
- Seamless knit
- High dexterity
- Flexible

FEATURES

Liner: **15-gauge HPPE, Engineered yarn, Seamless knit**
Coating: **Sponge Nitrile (Palm-dipped)**
Grip: **Sponge/Foam grip**

APPLICATIONS

- Mechanical engineering
- Handling sheet metal
- Intricate parts handling
- Maintenance
- Glass handling

SIZES

6/S - 10/XXL

LENGTH

220 mm - 270 mm



SHOWA®

**S-TEX
377SC**

The full nitrile coating and
additional foam nitrile palm
dip provides superior grip and
protects the hands from abrasions

BENEFITS

- Cut-resistant
- Abrasion-resistant
- Form-fitting
- Increased dexterity
- Water-resistant
- Seamless knit
- Forearm protection

FEATURES

Liner: **Hagane Coil® technology**
Foam nitrile palm dip
Coating: **Fully-coated nitrile**
Grip: **Foam grip**

APPLICATIONS

- Mechanical and engineering
- Drainage, piping
- HVAC
- Window manufacturing

SIZES

7/M - 10/XXL

LENGTH

300 mm - 310 mm



NEW



SHOWA®

4562

Heavy-duty cut-resistant
(Level E/A5) work glove with
natural rubber latex palm dip
and reinforced liner for rugged
outdoor and industrial work

BENEFITS

- High cut protection
- Extra grip
- Heavy-duty abrasion resistance
- Seamless knit
- Durable
- Skin-friendly

FEATURES

Liner: **15-gauge aramid**
Coating: **Nitrile**
Grip: **Rough grip**

APPLICATIONS

- Brick laying
- Masonry
- Glass handling
- Construction
- Heavy equipment handling
- Waste handling
- Demolition
- Recycling

SIZES

7/M - 10/XXL

LENGTH

250 mm - 280 mm





NEW

SHOWA®

3540

High-performance Aramid knit glove with palm-dipped natural rubber coating for heavy-duty protection in demanding environments

BENEFITS

- Seamless knit
- Cut-resistant
- Flexible
- Durable
- Robust grip

FEATURES

Liner: **Aramid**
Coating: **Natural Rubber (Latex)**
Grip: **Rough grip**

APPLICATIONS

- Construction
- Mechanical and engineering
- Handling glass and windows
- Handling heavy equipment

SIZES

7/S - 11/XXL

LENGTH

240 mm - 280 mm



SHOWA®

257

Precision cut-resistant (Level D/A4) uncoated cleanroom and assembly liner glove made with HPPE and engineered fibers for maximum tactile feel

BENEFITS

- Cut-resistant
- Ultra-lightweight
- High dexterity
- Low-linting
- Breathable
- Seamless knit
- Washable

FEATURES

Liner: **13-gauge HPPE, Engineered yarn, Seamless knit**
Coating: **Sponge Nitrile (Palm-dipped)**
Grip: **Sponge/Foam grip**

APPLICATIONS


- Mechanical and engineering
- Handling glass and windows

SIZES

6/S - 10/XXL

LENGTH

240 mm - 280 mm





CHEMICAL PROTECTION

Frequently handling highly alkaline, corrosive materials like wet cement, mortar, and specialized epoxies poses severe chemical burn risks. To defend workers, SHOWA® provides an extensive portfolio of chemical hand protection ranging from Type A to Type C. Additionally, our specialized ChemRest® platform helps safety professionals to realize comprehensive risk-assessment.



Find out more about these products at:
www.showagroup.com/eu-en

CHEMICAL PROTECTION



SHOWA®

660

Chemical-resistant glove with a rough-finish triple-dipped PVC coating, ergonomic design, and a soft, moisture-wicking liner

BENEFITS

- Seamless knit
- Forearm protection
- Chemical-resistant
- Increased tactility
- Robust grip
- Water-resistant
- Durable

FEATURES

Liner: **Cotton, Seamless knit**
Coating: **Triple-dipped PVC**
Grip: **Rough grip**

APPLICATIONS

- Chemical spray and treatment
- Coating preparation



SIZES

8/M - 11/XXL

LENGTH

300 mm



CHEMICAL PROTECTION

SHOWA®

CC700



NEW


ChemRest®

SIZES

7/S - 11/XXL

LENGTH

350 mm - 370 mm



Nitrile-coated chemical and cut-resistant glove (E/A5) with an 18-gauge HPPE liner for flexibility and precision

BENEFITS

- Cut-resistant
- Chemical-resistant
- Lightweight
- Flexible
- Oil-resistant

FEATURES

Liner: **HPPE, Seamless knit**
Coating: **Nitrile**

APPLICATIONS

- Chemical spray and treatment
- Painting & spray workshops
- Drilling



CHEMICAL PROTECTION

GENERAL PURPOSE | WATERPROOF | INSULATED | CUT | **CHEMICAL** | SINGLE USE



ChemRest®

SHOWA®

CS710

Chemical-resistant glove with double-dipped nitrile coating, foamed nitrile palm for extra grip, and a seamless liner

BENEFITS

- Chemical-resistant
- Oil-resistant
- Seamless knit
- Extra grip
- Robust durability
- Natural rubber latex-free

FEATURES

Liner: **Polyester, Seamless knit**
Coating: **Nitrile/Foam Nitrile**
Thickness: **1.47 mm**
Grip: **Foam grip**

APPLICATIONS


- Chemical spray/treatment
- Coating preparation
- Painting

SIZES

7/S - 11/XXL

LENGTH

300 mm



ChemRest®

SHOWA®

CS720

Double-dipped nitrile chemical-resistant glove with a rough palm finish for grip and a moisture-wicking liner

BENEFITS

- Seamless knit
- Increased dexterity
- Oil-resistant
- Chemical-resistant
- Forearm protection
- Anti-slip grip

FEATURES

Liner: **Nylon, Polyester, Seamless knit**
Coating: **Nitrile**
Thickness: **1.23 mm**
Grip: **Rough grip**

APPLICATIONS


- Chemical spray/treatment
- Coating preparation
- Painting

SIZES

7/S - 11/XXL

LENGTH

300 mm - 320 mm



ChemRest®

SHOWA®

CS721

Chemical-resistant nitrile glove featuring an elongated forearm for extended coverage and a rough finish for enhanced grip

BENEFITS

- Seamless knit
- Increased dexterity
- Oil-resistant
- Chemical-resistant
- Forearm protection
- Anti-slip Grip
- Robust durability

FEATURES

Liner: **Polyester, Seamless knit**
Coating: **Nitrile**
Thickness: **1.23 mm**
Grip: **Rough grip**

APPLICATIONS


- Chemical spray/treatment
- Coating preparation
- Painting

SIZES

7/S - 11/XXL

LENGTH

350 mm



CHEMICAL PROTECTION



SHOWA®

6781R

Chemical-resistant glove, constructed using triple-layered foam insulation and a strong neoprene coating. Protects hands when working with temperatures up to 482°F, or 250°C

BENEFITS

- Burn protection
- Extra Grip
- Abrasion-resistant
- Chemical-resistant
- Cut-resistant
- Heat-resistant

FEATURES

Liner: **Cotton**
Coating: **Neoprene**
Grip: **Rough grip**

APPLICATIONS

- Chemical spray and treatment
- Coating preparation
- Painting & spray workshops
- Handling light chemicals




SIZES

10/L


LENGTH

305 mm



REINFORCE YOUR DEFENCE WITH THE CHEMREST® PROTECTION PLATFORM

SHOWA® aims to empower customers with the knowledge and tools to make better and more informed choices about their chemical hand protection.



EDUCATE

Coherent tools and training on hand protection against chemicals



EVALUATE

Full risk assessment and in-house lab testing of customer-specific chemicals



EQUIP

A complete series of protective gloves adapted to all industries and uses



VISIT [CHEMREST.COM](https://chemrest.com) TO FIND THE RIGHT GLOVE



SINGLE USE

SHOWA's advanced selection of single-use gloves perfectly balances fluid defense with essential hygiene and tactility. As pioneers in biodegradable and accelerator-free nitrile protection, SHOWA offers diverse styles, thicknesses, and lengths tailored to safely handle messy or high-precision tasks daily.



Find out more about these products at:
www.showagroup.com/eu-en

SHOWA®

709B




NEW

SIZES

6-7/S - 10-11/XXL

LENGTH

240 mm



Heavy-duty black nitrile single-use glove featuring PyraGrip engineered texture with fluid-diverting channels for max control in wet or dry conditions

BENEFITS


- Chemical-resistant
- High tensile strength
- Improved gripping power
- Optimized fit for comfort

FEATURES

Liner: **Unlined**
Coating: **100% Nitrile**
Thickness: **0.20 mm (8.0 mil)**
Grip: **PyraGrip™**

APPLICATIONS

- Construction
- Washing & cleaning
- Handling oily parts
- Light chemical handling



SHOWA®

709HVO



NEW

SIZES

6-7/S - 10-11/XXL

LENGTH

240 mm



High-visibility orange nitrile single-use glove with PyraGrip channel texture for enhanced grip performance in wet and dry applications

BENEFITS

- Chemical-resistant
- High tensile strength
- Improved gripping power
- Optimized fit for comfort

FEATURES

Liner: **Unlined**
Coating: **100% Nitrile**
Thickness: **0.20 mm (8.0 mil)**
Grip: **PyraGrip™**

APPLICATIONS

- Construction
- Washing & cleaning
- Handling oily parts
- Light chemical handling



SINGLE USE



EBT



SHOWA®

7500PF

Biodegradable (EBT) single-use nitrile glove designed for high sensitivity and frequent changeouts while reducing environmental waste

BENEFITS

- Biodegradable
- Latex-free
- Increased dexterity
- Silicone free
- Textured fingertips
- Single-use

FEATURES

Liner: **Unlined**

Coating: **100% Nitrile**

Thickness: **0.10 mm (4.0 mil)**

Grip: **Textured finish/Textured fingertips**

APPLICATIONS

- Intricate parts handling
- Washing and cleaning

SIZES

5-6/XS - 10-11/XXL

LENGTH

240 mm



EBT



SHOWA®

6112PF

Black biodegradable (EBT) single-use nitrile glove providing second-skin comfort, dexterity, and protection against abrasive liquids and chemicals

BENEFITS

- Biodegradable
- Form-fitting
- Disposable
- Latex-free
- Water-resistant
- Textured fingertips
- Single-use

FEATURES

Liner: **Unlined**

Coating: **100% Nitrile**

Thickness: **0.10 mm (4.0 mil)**

Grip: **Textured fingertips**

APPLICATIONS



- Intricate parts handling
- Light assembly
- Mechanical & engineering
- Plumbing

SIZES

5-6/XS - 10-11/XXL

LENGTH

240 mm





PROTECTION AND PRESERVATION IN ONE

Sustainability isn't just a commitment - it's part of SHOWA's legacy.
Our revolutionary Eco Best Technology (EBT) offers the solution that makes a difference to the environment, without any compromise on protection and performance.

Utilising the organic process to measure how our gloves break down in a natural setting, our EBT technology outperforms the industry norm in enviro-standardised testing*. Launched in 2012, our biodegradable nitrile gloves are the industry's first, and today, SHOWA® offers the most extensive selection of biodegradable hand protection on the market.




SAME PERFORMANCE and
100% QUALITY CONTROL

Every SHOWA® EBT glove is made with the same rigid quality controls and standards as our entire portfolio. That means the overall performance of the glove - its durability, comfort, grip and protection - stays exactly the same.

TESTED **ASTM
D5511**

*As proven with ASTM D5511 test results

HOW DOES EBT WORK?



SHOWA'S DISCLAIMER

These results may not be indicative of future biodegradation. SHOWA® gloves with EBT are engineered for accelerated bio degradation in modern, biologically active landfills. In independent laboratory testing standardized for accelerated landfill conditions, SHOWA® gloves with EBT achieved 82.0% bio degradation in only 386 days. In contrast, standard nitrile gloves showed negligible breakdown (only 1.9%) over the same period.

These results may not be indicative of future biodegradation.



OPTIMISE YOUR HAND PROTECTION WITH SENTINEL BY SHOWA!

Free on site surveys
and follow up trials
to boost worker safety.

Request a
Sentinel Survey





IN BALANCE

See our new
Sustainability Report





6,000
EMPLOYEES
WORLDWIDE



50+
RESEARCHERS
GLOBALLY




6

PRODUCTION FACILITIES AROUND THE GLOBE



OWNED

100+



PATENTS



100%
INTEGRATED
MANUFACTURING



1 BRAND



EST. 1954

SHOWAgroup.com





COMMITTED TO SAFE MANUFACTURING

REACH is a regulation of the European Union, adopted to improve the protection of human health and the environment from the risks that can be posed by chemicals, while enhancing the competitiveness of the EU chemicals industry. It also promotes alternative methods for the hazard assessment of substances in order to reduce the number of tests on animals. REACH stands for Registration, Evaluation, Authorisation and Restriction of Chemicals. REACH establishes procedures for collecting and assessing information on the properties and hazards of substances. SHOWA's whole manufacturing process is in line with the requirements of the European REACH Regulation. All SHOWA® products today and in the future will remain free from substances of very high concern (SVHC).